
Anaphylaxis Policy



HELP FOR NON-ENGLISH SPEAKERS

If you need help to understand the information in this policy, please contact South Melbourne Park Primary School on 03 9498 3396 or south.melbourne.park.ps@education.vic.gov.au.

PURPOSE

To provide the South Melbourne Park Primary School (SMPPS) parents, carers, staff and students with the processes and procedures in place to support students diagnosed as being at risk of suffering from anaphylaxis. This policy also ensures that SMPPS is compliant with Ministerial Order 706 and the Department's guidelines for anaphylaxis management.

SMPPS cultivates a teaching and learning environment that is flexible, caring and focused on what is best for the students. All students have the right to feel safe and well and know that they will be attended to with due care.

SCOPE

This policy applies to:

- all staff, including casual relief staff and volunteers.
- all students who have been diagnosed with anaphylaxis or who may require emergency treatment for an anaphylactic reaction, and their parents and carers.

POLICY

School Statement

SMPPS will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education.

Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens for school aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medications.

Symptoms

Sights and symptoms of a mild to moderate allergic reactions can include:

- swelling of the lips, face and eyes
- hives or welts
- tingling in the mouth

Signs and symptoms of anaphylaxis, a severe allergic reaction, can include:

- difficult/noisy breathing
- swelling of tongue
- difficulty talking and/or hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- student appears pale or floppy
- abdominal pain and/or vomiting

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen, but can appear within a few minutes.

Treatment

Adrenaline given as an injection into the muscle of the outer mid-thigh is the first aid treatment for anaphylaxis.

Individuals diagnosed as being at risk of anaphylaxis are prescribed an adrenaline autoinjector for use in an emergency. These adrenaline autoinjectors are designed so that anyone can use them in an emergency.

Individual Anaphylaxis Management Plans

All students at SMPPS who are diagnosed as being at risk of suffering from an anaphylactic reaction by a medical practitioner must have an **Individual Anaphylaxis Management Plan**. When notified of an anaphylaxis diagnosis, the Principal of SMPPS is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrolls at SMPPS and where possible, before the student's first day.

Parents and carers must:

- obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- provide an up to date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- provide the school with a current adrenaline autoinjector for the student (that is not expired)
- participate in annual reviews of the Student's Plan.

Each student's Individual Anaphylaxis Management Plan must include:

- information about the student's medical condition that relates to allergy and the potential for anaphylactic reaction, including the type of allergies the student has
- information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
- strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- the name of the person(s) responsible for implementing the risk minimisation strategies which have been identified in the Plan
- information about where the student's medication will be stored

- the student's emergency contact details
- an up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.

Review and updates to Individual Anaphylaxis Plans

A student's Individual Anaphylaxis Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers. The plan will also be reviewed and, where necessary, updated in the following circumstances:

- as soon as practicable after the student has an anaphylactic reaction at school
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- when the student is participating in an off-site activity, including camps and excursions, or at special events including fetes and concerts.

Our school may also consider updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

Location of plans and adrenaline autoinjectors

- adrenaline autoinjecting devices (EpiPen's) are located in the office in an EpiPen pouch labelled with the student's name, instructions for use and a copy of student's ASCIA plan
- each student's ASCIA plan is also located in the sick bay and readily accessible
- a photo of each individual student at risk is displayed throughout the school
- the designated first aid officer is responsible for checking the expiry dates of the adrenaline autoinjecting devices and will notify parents prior to expiry
- a spare or 'back-up' adrenaline autoinjecting device purchased by the school is located in the sickbay for general use
- each student's ASCIA action plan is updated annually by the student's medical practitioner
- each classroom e-roll has information of each student at risk of anaphylaxis
- each yard duty first aid bag contains individual cards with the students' photos and names. In the event of an anaphylactic emergency during recess or lunch time, the appropriate card is sent to the office so that the first aid officer can execute a rapid response
- in the event of a suspected anaphylactic emergency, an ambulance will be called
- the school will liaise with parents/carers about food related activities
- at school camps, excursions and sporting events, two adrenaline autoinjecting devices will accompany students at risk and remain close to the student. Consideration is given in planning ahead for food and meals for students at risk of anaphylaxis
- staff are routinely briefed about students at risk of anaphylaxis.

Anaphylaxis Communication Plan

1. South Melbourne Park Primary School has taken steps to ensure effective communication of students at risk of anaphylaxis.
2. Anaphylaxis Action Plans are located in the sick bay and include students' photos.
3. All staff with a student at risk of anaphylactic responses in their classroom, will be briefed at the beginning of the year, to ensure their awareness of the issues related to these students. Staff will receive a copy of anaphylactic management plan, including a photo, for all anaphylactic children in their grade.
4. Anaphylaxis Action Plans, including photos, are displayed in all specialist rooms.

5. Anaphylaxis Action Plans, including photos, are displayed in the canteen.
6. All staff undergo regular briefings on anaphylaxis, the symptoms and emergency responses.
7. CRTs are informed of students at risk and what their role is in responding to an anaphylactic reaction for a student in their care.
8. Parents/carers of anaphylactic students will be contacted each year to ensure we have the most up-to-date anaphylactic management plan available.

SMPPS students will not keep their adrenaline autoinjectors on their person:

Adrenaline autoinjecting devices (EpiPen's) are located in the office in an EpiPen pouch labelled with the student's name, instructions for use and a copy of student's ASCIA plan; each student's ASCIA plan is also located in the sick bay and readily accessible.

Risk Minimisation Strategies

To reduce the risk of a student suffering from an anaphylactic reaction at SMPPS, we have put in place the following strategies:

- staff and students are regularly reminded to wash their hands after eating
- students are discouraged from sharing food
- tongs must be used when picking up papers or rubbish in the playground
- school canteen staff are trained in appropriate food handling to reduce the risk of cross-contamination
- year groups will be informed of allergens that must be avoided in advance of class parties, events or birthdays
- a general use EpiPen will be stored at the office
- Teachers organising/attending excursions/camps or sporting events should plan an emergency response procedure prior to the event. This should outline the roles and responsibilities of teachers attending, if an anaphylactic reaction occurs. This includes distribution of laminated cards to all attending teachers, detailing the following: Location of event, including Melway reference or nearest cross street. Procedure for calling ambulance, advising life threatening allergic reaction has occurred and adrenaline is required.

Canteen:

- Staff including volunteers educated on food handling procedures and risk of cross contamination of foods said to be 'safe'
- Child having distinguishable lunch order bag
- Encourage parents of child to visit canteen kitchen to view products available

Adrenaline autoinjectors for general use

[**Note:** for guidance on the appropriate number of general use adrenaline autoinjectors for your school, refer to page 34 of the Department's *Anaphylaxis Guidelines*:

<http://www.education.vic.gov.au/school/teachers/health/pages/anaphylaxisschl.aspx>.]

South Melbourne Park Primary School will maintain a supply of adrenaline autoinjectors for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first-time reaction at school.

Adrenaline autoinjectors for general use will be stored at the office and labelled "general use".

The Principal is responsible for arranging the purchase of adrenaline auto-injectors for general use, and will consider:

- the number of students enrolled at South Melbourne Park Primary School at risk of anaphylaxis
- the accessibility of adrenaline auto-injectors supplied by parents
- the availability of a sufficient supply of auto-adrenaline injectors for general use in different locations at the school, as well as at camps, excursions and events
- the limited life span of adrenaline auto-injectors, and the need for general use of adrenaline auto-injectors to be replaced when used or prior to expiry.

Emergency Response

In the event of an anaphylactic reaction, the emergency response procedures in this policy must be followed, together with the school's general first aid procedures, emergency response procedures and the student's Individual Anaphylaxis Management Plan.

A complete and up to date list of students identified as being at risk of anaphylaxis is maintained by Office Admin Designee and stored at the sickbay room. For camps, excursions and special events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline autoinjectors, where appropriate.

If a student experiences an anaphylactic reaction at school or during a school activity, school staff must:

Step	Action
1.	<ul style="list-style-type: none"> ● Lay the person flat ● Do not allow them to stand or walk ● If breathing is difficult, allow them to sit ● Be calm and reassuring ● Do not leave them alone ● Seek assistance from another staff member or reliable student to locate the student's adrenaline autoinjector or the school's general use autoinjector, and the student's Individual Anaphylaxis Management Plan, stored at staff room and sickbay room ● If the student's plan is not immediately available, or they appear to be experiencing a first time reaction, follow steps 2 to 5
2.	<ul style="list-style-type: none"> ● Administer an EpiPen or EpiPen Jr (if the student is under 20kg) ● Remove from plastic container ● Form a fist around the EpiPen and pull of the blue safety release (cap) ● Place orange end against the student's outer mid-thigh (with or without clothing) ● Push down hard until a click is heard or felt and hold in place for 3 seconds ● Remove EpiPen ● Note the time the EpiPen is administered ● Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration
3.	Call an ambulance (000)
4.	If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline autoinjectors are available.
5.	Contact the student's emergency contacts.

If a student appears to be having a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, school staff should follow steps 2 – 5 as above.

Note: If in doubt, it is better to use an adrenaline autoinjector than not to use it, even if in hindsight the reaction is not anaphylaxis. Under-treatment of anaphylaxis is more harmful and potentially life threatening than over treatment of a mild to moderate allergic reaction. Refer to page 41 of the [Anaphylaxis Guidelines](#).

Communication Plan

This policy will be available on South Melbourne Park Primary School's website so that parents and other members of the school community can easily access information about South Melbourne Park Primary School's anaphylaxis management procedures. The parents and carers of students who are enrolled at South Melbourne Park Primary School and are identified as being at risk of anaphylaxis will also be provided with a copy of this policy.

SMPPS is responsible for ensuring that all relevant staff, including casual relief staff and volunteers are aware of this policy and South Melbourne Park Primary School's procedures for anaphylaxis management. Casual relief staff and volunteers who are responsible for the care and/or supervision of students who are identified as being at risk of anaphylaxis will also receive a verbal briefing on this policy.

Staff training

All staff at South Melbourne Park Primary School will receive appropriate training in anaphylaxis management, consistent with the Department's *Anaphylaxis Guidelines*. To ensure there are sufficient numbers of staff available to supervise students at risk of anaphylaxis outside normal class activities, it is school policy that all staff are trained in anaphylaxis management.

Staff who are responsible for conducting classes that students who are at risk of anaphylaxis attend, and any further staff that the Principal identifies, must have completed:

- an approved face-to-face anaphylaxis management training course in the last three years, or
- an approved online anaphylaxis management training course in the last two years.

SMPPS uses the following training course: ASCIA eTraining course (with 22303VIC).

[Note, for details about approved staff training modules, see page 13 of the [Anaphylaxis Guidelines](#)]

Staff are also required to attend a briefing on anaphylaxis management and this policy at least twice per year, facilitated by a staff member who has successfully completed an anaphylaxis management course within the last 2 years. Each briefing will address:

- this policy
- the causes, symptoms and treatment of anaphylaxis
- the identifies of students with a medical condition that relates to allergy and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline autoinjector, including hands on practice with a trainer adrenaline autoinjector
- the school's general first aid and emergency response procedures
- the location of, and access to, adrenaline autoinjectors that have been provided by parents or purchased by the school for general use.

When a new student enrolls at South Melbourne Park Primary School who is at risk of anaphylaxis, the Principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

FURTHER INFORMATION AND RESOURCES

- School Policy and Advisory Guide:
 - [Anaphylaxis](#)
 - [Anaphylaxis management in schools](#)
- Allergy & Anaphylaxis Australia: [Risk minimisation strategies](#)
- ASCIA Guidelines: [Schooling and childcare](#)
- Royal Children's Hospital: [Allergy and immunology](#)

REVIEW CYCLE AND EVALUATION

The Principal will complete the Department's Annual Risk Management Checklist for anaphylaxis management to assist with the evaluation and review of this policy and the support provided to students at risk of anaphylaxis.

POLICY REVIEW AND APPROVAL

Policy last reviewed	19/05/2024
Consultation	Wellbeing staff - sem 1 2024 Staff - Anaphylaxis training - sem 2 2024 Community via Compass Aug 2024
Approved by	Principal
Next scheduled review date	April 2026